## **In-Situ Thermal Remediation**

Steven A. Grant
Engineering Research and Development Center
72 Lyme Road
Hanover NH 03755
+1-603-646-4446
+1-603-646-4561 fax
steven.a.grant@usace.army.mil

Heating has long been used to expedite the cleanup of excavated soils. While there are number of implementations of the concept, they all seek to improve the recovery of contaminants by exploiting the changes in thermophysical properties (e.g., viscosities, interfacial tensions, Gibbs energies of adsorption, and vapor pressures) brought about by increasing temperature. Heating of the subsurface can be achieved by several methods: hot air, hot water, steam, electricity, and electromagnetic radiation. Three general types of contaminants are recovered by these techniques: sorbed organic compounds (e.g., PCB), separate-phase organic liquids with high vapor pressures (e.g., gasoline, chlorinated solvents), and separate-phase organic liquids with low vapor pressures (e.g., crude oil, coal tar, creosote). Steamflooding takes advantage of the fact that water has a high enthalpy of vaporization and that water's boiling point is elevated by hydrostatic pressure by 0.48 °C per meter. Steamflooding to cleanup soils contaminated with low volatility organic materials shows particular promise. If managed properly the technology can improve cleanup by four changes that accompany increasing temperature: (1) increased vapor pressures, (2) increased solubilities, (3) increased rates of bioremediation, and (4) vastly increased rates of abiotic oxidation. Experience with thermal remediation methods indicates that heating with steam is appropriate only for coarse-grained aquifers, which have permeabilities high enough to allow useful amounts of steam to penetrate into the aquifer. Other heating methods (e.g., six-phase heating) are preferred for the in-situ thermal remediation on fine-grained materials. A recent analysis of thermal-method costs considered five scenarios and determined that thermal remediation was cheaper than the best comparable technologies.

Steve Grant office: +1-603-646-4446 CRREL fax: +1-603-646-4561

72 Lyme Road E-mail: steven.a.grant@usace.army.mil

Hanover NH 03755-1290 USA